

The Bug



XM SATELLITE RADIO
CERTIFIED


Mount for Electronics with Small Control Heads *

On Your Dash, Console or Windshield

See back for more details



SATELLITE
RADIO




* Devices not
to exceed 7 oz.


40-21

The BUG is designed for small electronic devices like the XM Commander and control heads for amateur radios. The compact body secures the adjustable arms in any position. The BUG mounts securely with 3M adhesive on a flexible pad in nearly any vehicle.


The
BUG



Windshield Application



Commander on the BUG



Ham on the BUG

Devices not to exceed 7 oz.

Ideal for:
XM Satellite Commander
Ham Radios: Icom 207 & 2720, Yaesu 8900



Complete Installation Instructions inside



www.pro-fit-intl.com
800.388.0073


Made in the USA





BG-900

Contents: The BUG, hardware, surface prep packet, alcohol swab and double-faced adhesive.



Please read all instructions prior to installation.

Installation Instructions

STEP 1. Temporarily attach your electronic device to the BUG using the manufacturer's supplied hardware. Select a mounting location by trying different positions on the dash, console or windshield near the rearview mirror. Avoid blocking controls and the vehicle airbag deployment areas. Remove your electronic device and set aside. Remove the Flex Pad from the BUG by unscrewing the thumbscrew.

STEP 2. Clean the mounting location using the Surface Preparation Cleaning Kit. To ensure maximum Flex Pad adhesion, clean the mounting location according to the directions on the back of the Prep packet. Failure to properly prepare the mounting surface may result in the Flex Pad failing to adhere and voiding the warranty. After cleaning with the Surface Prep packet, clean the mounting location with the alcohol swab and allow to dry.

STEP 3. Peel the tape off the Flex Pad, press to the mounting location and apply firm pressure for a minimum of 30 seconds. 3M recommends that the adhesive "cure" for 72 hours before using.

Note: This is a one-time stick adhesive pad; once pressed into place it can not be removed and re-stuck.

STEP 4. Attach your electronic device to the BUG using either of the following methods. a) **Manufacturer's hardware** - Insert bolts through the back of the BUG and into the back of your device. Check for even alignment in the mounting location, then tighten bolts. b) **Double-faced adhesive tape (included)** - With the alcohol swab, clean the surface of the arms where the BUG and the device will meet and allow to dry. Peel the backing off one side of the tape, carefully align and press firmly onto the arms of the BUG. This tape is very aggressive, so it will not move once applied. Make sure your device is positioned exactly where you want it before attaching to adhesive. Remove the backing from the other side of the tape and firmly press your electronic device onto the tape. Place on the Flex Pad, replace the thumbscrew and tighten. Do not over tighten.

For removal of Flex Pad see detailed instructions at www.pro-fit-intl.com/bug/

IMPORTANT NOTICE

A Surface Preparation packet and Alcohol swab have been included to clean the mounting location prior to installing the BUG. Failure to properly prepare the mounting surface may result in the Flex Pad failing to adhere and voiding the warranty. Do not apply to leather surfaces. Do not over-torque the BUG's thumbscrew.

Pro.Fit International, Inc.® may not be held liable for any damage to a vehicle before, during or after the installation or removal of this product. Pro.Fit International may not be held liable for any personal injury resulting from accident or improper installation. Pro.Fit International, Inc.® 1335 Eagandale Court, Eagan, MN 55121, Ph: 651.688.3588 or 800.388.0073 Fx: 651.688.9876

© Pro.Fit International, Eagan, MN 2004

Pro.Fit International produces several types of mounting solutions for passenger vehicles, trucks, RV's, semi trucks and boats.

Visit www.pro-fit-intl.com for additional details.

Trademarks included on this packaging are owned by their respective owners.